

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72  
 Астана +7(7172)727-132  
 Астрахань (8512)99-46-04  
 Барнаул (3852)73-04-60  
 Белгород (4722)40-23-64  
 Брянск (4832)59-03-52  
 Владивосток (423)249-28-31  
 Волгоград (844)278-03-48  
 Вологда (8172)26-41-59  
 Воронеж (473)204-51-73  
 Екатеринбург (343)384-55-89  
 Иваново (4932)77-34-06  
 Ижевск (3412)26-03-58  
 Иркутск (395) 279-98-46  
 Киргизия (996)312-96-26-47

Казань (843)206-01-48  
 Калининград (4012)72-03-81  
 Калуга (4842)92-23-67  
 Кемерово (3842)65-04-62  
 Киров (8332)68-02-04  
 Краснодар (861)203-40-90  
 Красноярск (391)204-63-61  
 Курск (4712)77-13-04  
 Липецк (4742)52-20-81  
 Магнитогорск (3519)55-03-13  
 Москва (495)268-04-70  
 Мурманск (8152)59-64-93  
 Набережные Челны (8552)20-53-41  
 Нижний Новгород (831)429-08-12  
 Казахстан (772)734-952-31

Новокузнецк (3843)20-46-81  
 Новосибирск (383)227-86-73  
 Омск (3812)21-46-40  
 Орел (4862)44-53-42  
 Оренбург (3532)37-68-04  
 Пенза (8412)22-31-16  
 Пермь (342)205-81-47  
 Ростов-на-Дону (863)308-18-15  
 Рязань (4912)46-61-64  
 Самара (846)206-03-16  
 Санкт-Петербург (812)309-46-40  
 Саратов (845)249-38-78  
 Севастополь (8692)22-31-93  
 Симферополь (3652)67-13-56  
 Таджикистан (992)427-82-92-69

Смоленск (4812)29-41-54  
 Сочи (862)225-72-31  
 Ставрополь (8652)20-65-13  
 Сургут (3462)77-98-35  
 Тверь (4822)63-31-35  
 Томск (3822)98-41-53  
 Тула (4872)74-02-29  
 Тюмень (3452)66-21-18  
 Ульяновск (8422)24-23-59  
 Уфа (347)229-48-12  
 Хабаровск (4212)92-98-04  
 Челябинск (351)202-03-61  
 Череповец (8202)49-02-64  
 Ярославль (4852)69-52-93

Эл. почта: kve@nt-rt.ru || Сайт: https://kevan.nt-rt.ru/

Аналоги преобразователей частоты других производителей

	Compact, simple, high-cost performance		High performance vector control	
Brand	Model	Voltage level&Power level	Model	Voltage level&Power level
KV600	KV10	220V:0.75KW~2.2KW 380V:0.75KW~4KW	KV600	220V:0.75KW~7.5KW 380V:0.75KW~1200KW
ABB			ACS880	220V:0.75KW~75KW 380V:0.75KW~250KW 690V:5.5~250KW
Simens	V20	220V:0.12KW~3KW 380V:0.37KW~5.5KW	G120	220V:0.75KW~4KW 380V:0.75KW~250KW
Danfoss	FC51	220V:0.18KW~3KW 380V:0.37KW~22KW	FC302	220V:0.25KW~37KW 380V:0.37KW~710KW
Schneider	ATV320 ATV310	220V:0.18KW~15KW 380V:0.37KW~22KW	ATV630	220V:0.37KW~75KW 380V:0.37KW~315KW

Brand	Simens						
	High performance model			High cost performance model	High performance model		
Positioning							
Voltage level	220V	380V	690V	220V	380V	220V	380V
0.12KW				SINAMICS V20 6SL3210-5BB11-2UV0			
0.18KW							
0.25KW				SINAMICS V20 6SL3210-5BB12-5UV0			
0.37KW				SINAMICS V20 6SL3210-5BB13-7UV0	SINAMICS V20 6SL3210-5BE13-7UV0		
0.55KW				SINAMICS V20 6SL3210-5BB15-5UV0	SINAMICS V20 6SL3210-5BE15-5UV0		
0.75KW	ACS880-01-04A6-2	ACS880-01-02A4-3		SINAMICS V20 6SL3210-5BB17-5UV0	SINAMICS V20 6SL3210-5BE17-5UV0	SINAMICS G120	SINAMICS G120
1.1KW	ACS880-01-06A6-2	ACS880-01-03A3-3		SINAMICS V20 6SL3210-5BB21-1UV0	SINAMICS V20 6SL3210-5BE21-1UV0	SINAMICS G120	SINAMICS G120
1.5KW	ACS880-01-07A5-2	ACS880-01-04A0-3		SINAMICS V20 6SL3210-5BB21-5UV0	SINAMICS V20 6SL3210-5BE21-5UV0	SINAMICS G120	SINAMICS G120
2.2KW	ACS880-01-10A6-2	ACS880-01-05A6-3		SINAMICS V20 6SL3210-5BB22-2UV0	SINAMICS V20 6SL3210-5BE22-2UV0	SINAMICS G120	SINAMICS G120
3KW		ACS880-01-07A2-3		SINAMICS V20 6SL3210-5BB23-0UV0	SINAMICS V20 6SL3210-5BE23-0UV0	SINAMICS G120	SINAMICS G120
4KW	ACS880-01-16A8-2	ACS880-01-09A4-3			SINAMICS V20 6SL3210-5BE24-0UV0	SINAMICS G120	SINAMICS G120
5.5KW	ACS880-01-24A3-2	ACS880-01-12A6-3	ACS880-01-07A4-7		SINAMICS V20 6SL3210-5BE25-5UV0		SINAMICS G120
7.5KW	ACS880-01-031A-2	ACS880-01-017A-3	ACS880-01-09A9-7				SINAMICS G120
11KW	ACS880-01-046A-2	ACS880-01-025A-3	ACS880-01-14A3-7				SINAMICS G120
15KW	ACS880-01-061A-2	ACS880-01-032A-3	ACS880-01-019A-7				SINAMICS G120
18.5KW	ACS880-01-075A-2	ACS880-01-038A-3	ACS880-01-023A-7				SINAMICS G120
22KW	ACS880-01-087A-2	ACS880-01-045A-3	ACS880-01-027A-7				SINAMICS G120
30KW	ACS880-01-115A-2	ACS880-01-061A-3	ACS880-01-035A-7				SINAMICS G120
37KW	ACS880-01-145A-2	ACS880-01-072A-3	ACS880-01-042A-7				SINAMICS G120
45KW	ACS880-01-170A-2	ACS880-01-087A-3	ACS880-01-049A-7				SINAMICS G120
55KW	ACS880-01-206A-2	ACS880-01-105A-3	ACS880-01-061A-7				SINAMICS G120
75KW	ACS880-01-274A-2	ACS880-01-145A-3	ACS880-01-084A-7				SINAMICS G120
90KW		ACS880-01-169A-3	ACS880-01-098A-7				SINAMICS G120
110KW		ACS880-01-206A-3	ACS880-01-119A-7				SINAMICS G120
132KW		ACS880-01-246A-3	ACS880-01-142A-7				SINAMICS G120
160KW		ACS880-01-293A-3	ACS880-01-174A-7				SINAMICS G120
185KW							
200KW		ACS880-01-363A-3	ACS880-01-210A-7				SINAMICS G120
220KW							
250KW		ACS880-01-430A-3	ACS880-01-271A-7				SINAMICS G120
280KW							
315KW							
355KW							
400KW							
450KW							
500KW							
560KW							
630KW							
710KW							

Brand	Danfoss				
Positioning	High cost performance model			High performance model	
Voltage level	1*220V	3*220V	3*380V	3*220V	3*380V
0.12KW					
0.18KW	FC-051PK18S2E20H3XCXXXSXXX				
0.25KW	FC-051PK25T2E20H3XCXXXSXXX	FC-051PK25T2E20H3XCXXXSXXX		FC-302PK75T2E20H1BGXXXXXXXAXBCXXXXDX	
0.37KW	FC-051PK37S2E20H3XCXXXSXXX	FC-051PK37T2E20H3XCXXXSXXX	FC-051PK37T4E20H3XCXXXSXXX	FC-302PK37T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302PK37T5E20H1BGXXXXXXXAXBCXXXXDX
0.55KW				FC-302PK55T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302PK55T5E20H1BGXXXXXXXAXBCXXXXDX
0.75KW	FC-051PK75S2E20H3XCXXXSXXX	FC-051PK75T2E20H3XCXXXSXXX	FC-051PK75T4E20H3XCXXXSXXX	FC-302PK75T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302PK75T5E20H1BGXXXXXXXAXBCXXXXDX
1.1KW				FC-302P1K1T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302P1K1T5E20H1BGXXXXXXXAXBCXXXXDX
1.5KW	FC-051PK15S2E20H3XCXXXSXXX	FC-051PK15T2E20H3XCXXXSXXX	FC-051PK15T4E20H3XCXXXSXXX	FC-302P1K5T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302P1K5T5E20H1BGXXXXXXXAXBCXXXXDX
2.2KW	FC-051P2K2S2E20H3XCXXXSXXX	FC-051P2K2T2E20H3XCXXXSXXX	FC-051P2K2T4E20H3XCXXXSXXX	FC-302P2K2T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302P2K2T5E20H1BGXXXXXXXAXBCXXXXDX
3KW		FC-051P3K7T2E20H3XCXXXSXXX	FC-051P3K0T4E20H3XCXXXSXXX	FC-302P3K0T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302P3K0T5E20H1BGXXXXXXXAXBCXXXXDX
4KW			FC-051P4K0T4E20H3XCXXXSXXX	FC-302P4K0T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302P4K0T5E20H1BGXXXXXXXAXBCXXXXDX
5.5KW			FC-051P5K5T4E20H3XCXXXSXXX	FC-302P5K5T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302P5K5T5E20H1BGXXXXXXXAXBCXXXXDX
7.5KW			FC-051P7K5T4E20H3XCXXXSXXX	FC-302P7K5T2E20H1BGXXXXXXXAXBCXXXXDX	FC-302P7K5T5E20H1BGXXXXXXXAXBCXXXXDX
11KW			FC-051P11K7E20H3XCXXXSXXX	FC-302P11K7E20H1BGXXXXXXXAXBCXXXXDX	FC-302P11K7E20H1BGXXXXXXXAXBCXXXXDX
15KW			FC-051P15K7E20H3XCXXXSXXX	FC-302P15K7E20H1BGXXXXXXXAXBCXXXXDX	FC-302P15K7E20H1BGXXXXXXXAXBCXXXXDX
18.5KW			FC-051P18K7E20H3XCXXXSXXX	FC-302P18K7E20H1BGXXXXXXXAXBCXXXXDX	FC-302P18K7E20H1BGXXXXXXXAXBCXXXXDX
22KW			FC-051P22K7E20H3XCXXXSXXX	FC-302P22K7E20H1BGXXXXXXXAXBCXXXXDX	FC-302P22K7E20H1BGXXXXXXXAXBCXXXXDX
30KW				FC-302P30K7E20H1BGXXXXXXXAXBCXXXXDX	FC-302P30K7E20H1BGXXXXXXXAXBCXXXXDX
37KW				FC-302P37K7E20H1BGXXXXXXXAXBCXXXXDX	FC-302P37K7E20H1BGXXXXXXXAXBCXXXXDX
45KW					FC-302P45K7E20H1BGXXXXXXXAXBCXXXXDX
55KW					FC-302P55K7E20H1BGXXXXXXXAXBCXXXXDX
75KW					FC-302P75K7E20H1BGXXXXXXXAXBCXXXXDX
90KW					FC-302N90K7E20H1BGXXXXXXXAXBCXXXXDX
110KW					FC-302N110T5E20H1BGXXXXXXXAXBCXXXXDX
132KW					FC-302N132T5E20H1BGXXXXXXXAXBCXXXXDX
160KW					FC-302N160T5E20H1BGXXXXXXXAXBCXXXXDX
185KW					
200KW					FC-302N200T5E20H1BGXXXXXXXAXBCXXXXDX
220KW					
250KW					FC-302N250T5E20H1BGXXXXXXXAXBCXXXXDX
280KW					
315KW					FC-302N315T5E20H1BGXXXXXXXAXBCXXXXDX
355KW					FC-302N355T5E20H1BGXXXXXXXAXBCXXXXDX
400KW					FC-302N400T5E20H1BGXXXXXXXAXBCXXXXDX
450KW					FC-302N450T5E20H1BGXXXXXXXAXBCXXXXDX
500KW					FC-302N500T5E20H1BGXXXXXXXAXBCXXXXDX
560KW					FC-302N560T5E20H1BGXXXXXXXAXBCXXXXDX
630KW					FC-302N630T5E20H1BGXXXXXXXAXBCXXXXDX
710KW					FC-302N710T5E20H1BGXXXXXXXAXBCXXXXDX

Brand	Schneider				
Positioning	High cost performance model			High performance model	
Voltage level	1*220V	3*220V	380V	220V	380V
0.12KW					
0.18KW	ATV320U02M2C	ATV320U02M3C			
0.25KW					
0.37KW	ATV320U04M2C	ATV320U04M3C	ATV310H037N4E		
0.55KW	ATV320U06M2C	ATV320U06M3C			
0.75KW	ATV320U07M2C	ATV320U07M3C	ATV310H075N4E	ATV630U07M3	ATV630U07M4
1.1KW	ATV320U11M2C	ATV320U11M3C	ATV310HU11N4E		
1.5KW	ATV320U15M2C	ATV320U15M3C	ATV310HU15N4E	ATV630U15M3	ATV630U15M4
2.2KW	ATV320U22M2C	ATV320U22M3C	ATV310HU22N4E	ATV630U22M3	ATV630U22M4
3KW		ATV320U30M3C	ATV310HU30N4E	ATV630U30M3	ATV630U30M4
4KW		ATV320U40M3C	ATV310HU40N4E	ATV630U40M3	ATV630U40M4
5.5KW		ATV320U55M3C	ATV310HU55N4E	ATV630U55M3	ATV630U55M4
7.5KW			ATV310HU75N4E	ATV630U75M3	ATV630U75M4
11KW			ATV310HD11N4E	ATV630D11M3	ATV630D11M4
15KW			ATV310HD15N4E	ATV630D15M3	ATV630D15M4
18.5KW			ATV310HD18N4E	ATV630D18M3	ATV630D18M4
22KW			ATV310HD22N4E	ATV630D22M3	ATV630D22M4
30KW				ATV630D30M3	ATV630D30M4
37KW				ATV630D37M3	ATV630D37M4
45KW				ATV630D45M3	ATV630D45M4
55KW				ATV630D55M3	ATV630D55M4
75KW				ATV630D75M3	ATV630D75M4
90KW					ATV630D90M4
110KW					ATV630C11M4
132KW					ATV630C3M4
160KW					ATV630C16M4
185KW					
200KW					
220KW					ATV630C22M4
250KW					ATV630C25M4
280KW					
315KW					ATV630C31M4
355KW					
400KW					
450KW					
500KW					
560KW					
630KW					
710KW					

Brand	KEVAN			
Positioning	1/3*220V	380V	1/3*220V	380V
Voltage level				
0.12KW				
0.18KW				
0.25KW				
0.37KW				
0.55KW				
0.75KW	KV10-S2-R75G-B	KV10-T3-R75G-B	KV600-S2-R75G-B	KV600-T3-R75G/1R5P-B
1.1KW				KV600-T3-R75G/1R5P-B
1.5KW	KV10-S2-1R5G-B	KV10-T3-1R5G-B	KV600-S2-1R5G-B	KV600-T3-1R5G/2R2P-B
2.2KW	KV10-S2-2R2G-B	KV10-T3-2R2G-B	KV600-S2-2R2G-B	KV600-T3-2R2G/004P-B
3KW		KV10-T3-004G-B	KV600-S2-004G-B	
4KW			KV600-S2-5R5G-B	KV600-T3-004G/5R5P-B
5.5KW			KV600-S2-7R5G-B	KV600-T3-5R5G/7R5P-B
7.5KW				KV600-T3-7R5G/011P-B
11KW				KV600-T3-011G/015P-B
15KW				KV600-T3-015G/018P-B
18.5KW				KV600-T3-018G/022P-B
22KW				KV600-T3-022G/030P-B
30KW				KV600-T3-030G/037P
37KW				KV600-T3-037G/045P
45KW				KV600-T3-045G/055P
55KW				KV600-T3-055G/075P
75KW				KV600-T3-075G/093P
90KW				KV600-T3-093G/110P
110KW				KV600-T3-110G/132P
132KW				KV600-T3-132G/160P-L
160KW				KV600-T3-160G/185P-L
185KW				KV600-T3-185G/200P-L
200KW				KV600-T3-200G/220P-L
220KW				KV600-T3-220G/250P-L
250KW				KV600-T3-250G/280P-L
280KW				KV600-T3-280G/315P-L
315KW				KV600-T3-315G/355P-L
355KW				KV600-T3-355G/400P-L
400KW				KV600-T3-400G/450P-L
450KW				KV600-T3-450GD/500PD-L
500KW				KV600-T3-500GD/560PD-L
560KW				KV600-T3-560GD/630PD-L
630KW				KV600-T3-630G/710P-L
710KW				KV600-T3-710G/800P-L

**По вопросам продаж и поддержки обращайтесь:**

Архангельск (8182)63-90-72  
Астана +7(7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395) 279-98-46  
Киргизия (996)312-96-26-47

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Казахстан (772)734-952-31

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Таджикистан (992)427-82-92-69

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93